

Overview

Streamlight Rechargeable Flashlight

Rechargeable Flashlight

This LED flashlight features Nickel Metal Hydride battery chemistry and includes one rechargeable SC battery. It has a spot beam pattern, a black aluminum body, and offers four light output modes. The flashlight provides a maximum beam distance of 310 meters with a brightness of 800 lumens and a runtime of 1.5 hours at maximum brightness. Weighing 12.4 oz with batteries, it comes with two smart chargers (120V AC/12V DC) and emits a white beam color.

- **Length:** 8.41 in
- **Body Diameter:** 1.17 in / 1 1/8 in
- **Manufacturer's Warranty Length:** Limited Lifetime
- **Battery Size:** SC
- **Overall Length:** 8 3/8 in
- **Maximum Lumens Output:** 800 lm
- **Number of Batteries:** 1
- **Flashlight Battery Type:** NiMH
- **Body Color:** Black
- **Rechargeable:** Yes
- **Run Time on High Setting:** 1.5 hr
- **Flashlight Body Material:** Aluminum
- **Weight with Batteries:** 12.4 oz
- **Batteries Included:** Yes
- **Flashlight Beam Type:** Fixed
- **Switch Type:** Push Button
- **Lighting Technology:** LED
- **Lamp Life:** 50,000 hr
- **Includes:** (2) Smart Charger/Holders, AC & DC Charge Cords, Rechargeable Battery
- **Drop Rating:** 1 m
- **Lens Material:** Polycarbonate
- **Peak Beam Intensity:** 24,000 cd
- **Special Light Output Mode:** Strobe
- **Battery Burn Time:** 1.5/2.5/5 hr
- **Standards:** CEC Compliant, Meets Applicable European Community Directives
- **Beam Distance:** 310/209/155 m
- **Lumens:** 800/400/200
- **Light Output Modes:** High, Low, Medium
- **Water Penetration Rating:** IPx4
- **Green Environmental Attribute:** Product is Rechargeable
- **Body Material:** Aluminum
- **Features:** Snap-In Charger Mounts in Any Position, Serialized for Positive Identification
- **Special Features:** Charging Indicator Light
- **Charging Time:** 2.6 hr

- **Switch Location:** Head
- **Series:** Stinger
- **Max. Beam Distance Range:** 250 to 449 m
- **Max. Brightness Range:** Greater than 750 lm
- **Application:** Automotive, General Use, Fire and Rescue, Hardware/Tool, Industrial, Law Enforcement, Security, Sporting Goods
- **Charger Style Included:** (2) Smart Chargers, 120V AC/12V DC
- **Grip Style:** Comfort
- **Beam Intensity Levels:** 6,000 cd, 12,000 cd, 24,000 cd
- **Number of Light Output Modes:** 4
- **Battery Chemistry:** Nickel Metal Hydride
- **Beam Pattern:** Spot
- **Special Operating Modes:** Strobe
- **Includes Secondary Light:** No
- **IP Rating:** IPX4
- **Resistance Properties:** Impact Resistant, Scratch Resistant, Water Resistant, Waterproof
- **Brightness Levels:** 200 lm, 400 lm, 800 lm
- **Maximum Run Time:** 3 hr
- **Beam Color:** White
- **Includes Batteries:** Yes
- **Beam Distance Levels:** 155 m, 219 m, 310 m
- **Hazardous Location Specification:** Not Rated
- **Run Time at Max. Brightness Range:** Less than 8 hr
- **Beam Focus:** Fixed
- **Run Time Levels:** 1.5 hr, 2.5 hr, 3 hr, 5 hr
- **Power Source:** Battery
- **Grip Material:** Rubber
- **Maximum Beam Distance:** 310 m
- **Collection:** Aluminum Body with Rechargeable: Yes Batteries
- **Includes Charger:** Yes
- **Run Time at Maximum Brightness:** 1.5 hr
- **Maximum Brightness:** 800 lm

Attributes

Product Unit Type	Each
-------------------	------

Images

